




Complete Price List 2026

Price valid from: July 1st, 2026



New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------|--|--------------|
| 1. | TMxCore | |
| 230013NR | <div data-bbox="347 734 534 1003">    </div> <p data-bbox="560 696 774 728">TMxCore AES16</p> <p data-bbox="560 730 1268 952">Professional audio metering platform with digital AES3 format inputs and outputs (D-Sub 25 connectors) and DisplayPort output for direct connection to any monitor. Ideal for facilities with baseband workflows, TMxCore combines the proven TouchMonitor concept with powerful new capabilities for loudness, compliance, and advanced metering.</p> <p data-bbox="560 954 1268 1079">Core functionality covers comprehensive tools for loudness, phase, frequency, comparison, and level monitoring, along with a Network Display accessible via any standard web browser.</p> <p data-bbox="560 1081 1268 1207">Additional licenses unlock Immersive Audio Instruments, the Speech Intelligibility Meter powered by Fraunhofer AI technology, and up to three additional Network Display screens for extended visibility.</p> <p data-bbox="560 1209 1141 1238">Includes Power Supply and 19" Rack-mount kit.</p> | 7.990,00 |

Complete Price List 2026

Price valid from: July 1st, 2026





New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------|---|--------------|
| 230017NR |  <p>TMxCore Dante Professional audio metering platform with 32 channel Dante® AoIP connectivity via dedicated primary and secondary RJ-45 connectors and DisplayPort output for direct connection to any monitor, ideal for broadcast, post-production, and live applications. Built on the TouchMonitor legacy, TMxCore delivers reliable loudness and compliance monitoring, advanced metering instruments, and flexible view design. Core functionality covers comprehensive tools for loudness, phase, frequency, comparison, and level monitoring, along with a Network Display accessible via any standard web browser. Additional licenses unlock Immersive Audio Instruments, the Speech Intelligibility Meter powered by Fraunhofer AI technology, and up to three additional Network Display screens for extended visibility. Includes Power Supply and 19" Rack-mount kit.</p> | 8.990,00 |
| 230018NR |  <p>TMxCore Ravenna Professional audio metering platform with 32 channel Ravenna®/AES67/ST 2110 connectivity via dedicated primary and secondary RJ-45 connectors and DisplayPort output for direct connection to any monitor, ideal for modern IP-based production environments. Combining next-generation processing power with trusted TouchMonitor metering concepts, TMxCore ensures reliability and flexibility in broadcast and post-production workflows. Core functionality covers comprehensive tools for loudness, phase, frequency, comparison, and level monitoring, along with a Network Display accessible via any standard web browser. Additional licenses unlock Immersive Audio Instruments, the Speech Intelligibility Meter powered by Fraunhofer AI technology, and up to three additional Network Display screens for extended visibility. Includes Power Supply and 19" Rack-mount kit.</p> | 8.990,00 |

Complete Price List 2026

Price valid from: July 1st, 2026

New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|--------------------------------|---|--------------|
| 2. Licenses for TMxCore | | |
| SW23010 |  <p>Surround & Immersive Instruments Unlocks metering instruments for surround and immersive formats. Includes the Immersive Sound Analyzer, MatrixCorrelator, MultiCorrelator, and Polarscope, giving engineers detailed insight into spatial balance, correlation, and immersive mix quality. Ideal for broadcast, post-production, and streaming workflows handling multi-channel and immersive content.</p> | 995,00 |
| SW23020 |  <p>Speech Intelligibility Instruments Unlocks the AI-powered Speech Intelligibility Meter, developed with Fraunhofer IDMT. Provides an objective measurement of how clearly dialogue is perceived, helping engineers maintain speech clarity across film, TV, streaming, and live content.</p> | 995,00 |
| SW23030 |  <p>Network Display: Additional Screen 1 Adds an additional virtual metering screen for TMxCore, accessible via any standard web browser. Each screen provides its own configurable screen format with independent views, ratio, resolution, and orientation. Up to three licenses can be added, expanding metering across multiple screens and locations for remote production, multiview monitoring, and flexible workflows.</p> | 995,00 |
| SW23031 |  <p>Network Display: Additional Screen 2 Adds an additional virtual metering screen for TMxCore, accessible via any standard web browser. Each screen provides its own configurable screen format with independent views, ratio, resolution, and orientation. Up to three licenses can be added, expanding metering across multiple screens and locations for remote production, multiview monitoring, and flexible workflows.</p> | 995,00 |

Complete Price List 2026

Price valid from: July 1st, 2026

New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------|-------------|--------------|
|-----------|-------------|--------------|

SW23032



Network Display: Additional Screen 3

Adds an additional virtual metering screen for TMxCore, accessible via any standard web browser. Each screen provides its own configurable screen format with independent views, ratio, resolution, and orientation. Up to three licenses can be added, expanding metering across multiple screens and locations for remote production, multiview monitoring, and flexible workflows.

995,00

3.

TouchMonitor 5

220517NT



TouchMonitor 5 Dante

Advanced loudness meter for Dante®-based audio networks. This user-customizable, tabletop device features a 5" touch display and supports 16 Dante® channels for stereo, surround, and immersive audio formats, including 5.1 and 7.1.4 configurations. It offers an extensive feature set, including RTA, Vectorscope, PPM, True-peak, Loudness, LRA, Chart, and Moving Coil displays.

Please note: PoE power injector not included.

2.530,00

220518NT



TouchMonitor 5 Ravenna

Advanced loudness meter for RAVENNA®-based audio networks. This user-customizable, tabletop device features a 5" touch display and supports 16 RAVENNA®/AES67/ST 2110 channels for stereo, surround, and immersive audio formats, including 5.1 and 7.1.4 configurations. It offers an extensive feature set, including RTA, Vectorscope, PPM, True-peak, Loudness, LRA, Chart, and Moving Coil displays.




Please note: PoE power injector not included.

2.530,00

Complete Price List 2026

Price valid from: July 1st, 2026





New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------------------------------|--|--------------|
| 4. | | |
| License for TouchMonitor 5 | | |
| SW22030 |  <p>Network Display Enables metering display via any standard web browser. The browser-based screen uses the same screen format as the device, but can show a different view than the built-in display. Ideal for remote monitoring or extending visibility to additional locations without adding extra hardware.</p> | 495,00 |
| 5. | | |
| TouchControl 5 | | |
| 320517ND |  <p>TouchControl 5 Dante Dante® based immersive monitor controller with metering. User customizable table-top device with 5" touch display and 32 Dante®-channels for stereo- surround and -immersive speaker formats including 5.1 and 7.1.4. Comprehensive feature set with speaker calibration, SPL measurement and bass management as well as an RTW precision metering section as in TouchMonitor 5. Toolbox with independent leveling, talkback and Intercom. Please note: PoE power injector not included.</p> | 3.105,00 |
| 320518ND |  <p>TouchControl 5 Ravenna RAVENNA® based immersive monitor controller with metering. User customizable table-top device with 5" touch display and 32 RAVENNA®/AES67/ST 2110-channels for stereo-surround and -immersive speaker formats including 5.1 and 7.1.4. Comprehensive feature set with speaker calibration, SPL measurement and bass management as well as an RTW precision metering section as in TouchMonitor 5. Toolbox with independent leveling, talkback and Intercom. Please note: PoE power injector not included.</p> | 3.105,00 |

Complete Price List 2026

Price valid from: July 1st, 2026









New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------------------------------|---|--------------|
| 6. | | |
| License for TouchControl 5 | | |
| SW32030 |  <p>Network Display Enables metering display via any standard web browser. The browser-based screen uses the same screen format as the device, but can show a different view than the built-in display. Ideal for remote monitoring or extending visibility to additional locations without adding extra hardware.</p> | 495,00 |
| 7. | | |
| TouchMonitor Models | | |
| TM7-Studio |  <p>TM7-Studio *) 7" Desktop TouchMonitor for Audio Production and Post Production. 8-ch. digital AES3-format I/O and 8-ch. analog audio inputs both via D-sub 25p-f. Includes power supply</p> | 4.605,00 |
| TM7-Video |  <p>TM7-Video *) 7" Desktop TouchMonitor for Post Production, TV Broadcast and Video Editing 8-ch. digital AES3-format I/O via D-sub 25p-f and 3G-SDI interface. Includes power supply Please note: Limited stock left.</p> | 5.985,00 |
| TM7-Mount |  <p>TM7-Mount *) 7" Mountable TouchMonitor for TV Broadcast and Post Production 8-ch. digital AES3-format I/O and 8-ch. analog audio inputs both via D-sub 25p-f. W/o psu Please note: Power supply not included.</p> | 4.375,00 |

Complete Price List 2026

Price valid from: July 1st, 2026




New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|------------|--|--------------|
| TM7-Rack |   <p>TM7-Rack *) 7" Rack TouchMonitor for TV Broadcast and Post Production 8-ch. digital AES3-format I/O via D-sub 25p-f and 3G-SDI interface. Built-in TM7-MAVID option. Please note: Limited stock left. Power supply not included.</p> | 6.270,00 |
| TM7-Dante |   <p>TM7-Dante *) 7" Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Dante AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply</p> | 6.100,00 |
| TM7-RAV |   <p>TM7-RAV *) 7" Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Ravenna/AES67/ST 2110 AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply</p> | 6.100,00 |
| TM9-Studio |   <p>TM9-Studio *) 9" Desktop TouchMonitor for Audio Production and Post Production. 8-ch. digital AES3-format I/O and 8-ch. analog audio inputs both via D-sub 25p-f. Includes power supply</p> | 5.465,00 |

Complete Price List 2026

Price valid from: July 1st, 2026





New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------|---|--------------|
| TM9-AES16 | <p>TM9-AES16 *) 9" Desktop TouchMonitor for Audio Production and Post Production. 16-ch. digital AES3-format I/O via two D-sub 25p-f. Includes power supply</p>  | 5.465,00 |
| TM9-BNC | <p>TM9-BNC *) 9" Desktop TouchMonitor for Audio Production and Post Production. 16-ch. digital AES3id-format I/O via BNC. Includes power supply</p>  | 5.465,00 |
| TM9-Video | <p>TM9-Video *) 9" Desktop TouchMonitor for Post Production, TV Broadcast and Video Editing. 16-ch. digital AES3-format I/O via two D-sub 25p-f and 3G-SDI interface. Includes power supply</p> <p>Please note: Limited stock left.</p>  | 7.710,00 |

Complete Price List 2026

Price valid from: July 1st, 2026


New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|--|---|--------------|
| TM9-Dante | <p>TM9-Dante *) 9" Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Dante AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply</p>  | 6.960,00 |
| TM9-RAV | <p>TM9-RAV *) 9" Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Ravenna/AES67/ST 2110 AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply</p>  | 6.960,00 |
| <p>*) Please note:  All mentioned models come with the basic functionality like 4-ch-PPM, True-Peak-Meter, correlator, global keyboard, gain reduction display. Recommended licences for multi-channel, loudness, surround sound and more detailed audio analysis: SW20001 Multi-channel operation SW20002 CalmAct, ITU, EBU loudness and SPL display SW20004 SSA surround sound analyzer SW20006 Up to four vectorscopes, Multistandard PPM/VU moving coil emulation</p> | | |
| TMR7 | <p>TMR7 °) TouchMonitor TMR7 with 7" desktop display and power supply, 4-ch. basic software 4-ch. digital I/O (2 x XLR-F, 2 x XLR-M) Please note: Limited stock left.</p>  | 4.605,00 |

Complete Price List 2026

Price valid from: July 1st, 2026

New products and changes are highlighted in the following list.





| Order no. | Description | EURO ex. VAT |
|-----------|---|--------------|
| TMR7OEM |  <p>TMR7OEM °) TouchMonitor TMR7 with 7" display, user mount, w/o psu, 4-ch. basic software 4-ch. digital I/O (2 x XLR-F, 2 x XLR-M) Please note: Limited stock left. Power supply not included.</p> | 4.375,00 |

°) Please note:



The mentioned models TMR7 and TMR7OEM come with the basic functionality like 4-ch-PPM, True-Peak-Meter, correlator, global keyboard, gain reduction display. Recommended licences for loudness and more detailed audio analysis:
 SW20002 CalmAct, ITU, EBU loudness and SPL display
 SW20003 RTA real time analyzer
 SW20006 Up to two vectorscopes, Multistandard PPM/VU moving coil emulation
 SW20014 Loudness Logging and course over time (Chart)









8. Licenses for TM Series (for all devices with 4-ch. basic software)

| | | |
|---------|--|--------|
| SW20001 |  <p>Multichannel TouchMonitor License for TM7, TM9: Multi-channel operation</p> | 785,00 |
| SW20002 |  <p>Loudness & SPL TouchMonitor License for TM7, TMR7, TM9: CalmAct, ITU, EBU Loudness and SPL display</p> | 785,00 |
| SW20003 |  <p>RTA - Real Time Analyzer TouchMonitor License for TM7, TMR7, TM9: Real Time Analyzer (RTA)</p> | 520,00 |
| SW20004 |  <p>SSA - Surround Sound Analyzer TouchMonitor License for TM7, TM9: Surround Sound Analyzer (SSA) Please note: SW20004 requires SW20001 and SW20002</p> | 785,00 |

Complete Price List 2026

Price valid from: July 1st, 2026





New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------|--|--------------|
| |  | |
| SW20005 | <p>Radar Display TouchMonitor License for TM7, TM9: Radar Anzeige Please note: SW20005 requires SW20002</p> | 1.325,00 |
| |  | |
| SW20006 | <p>Premium PPM & Vectorscope TouchMonitor License for TM7, TMR7, TM9: Premium PPM and Vectorscope</p> | 520,00 |
| |  | |
| SW20008 | <p>Timecode Reader TouchMonitor License for TM7, TMR7, TM9: TCR - Timecode Reader</p> | 520,00 |
| |  | |
| SW20013 | <p>BLITS TouchMonitor License for TM7, TM9: BLITS/GLITS iline testing Please note: SW20013 requires SW20001</p> | 520,00 |
| |  | |
| SW20014 | <p>Logging Data Server TouchMonitor License for TM7, TMR7, TM9: Logging Data Server Please note: SW20014 requires SW20002</p> | 785,00 |
| |  | |
| SW20015 | <p>ISA - Immersive Sound Analyzer TouchMonitor License for TM7, TM9: Immersive Sound Analyzer (ISA) Please note: SW20015 requires SW20001, SW20002 and SW20004</p> | 785,00 |
| |  | |
| SW20021 | <p>Conversion kit for TM7/TM9 devices of TC electronic® TouchMonitor License for TM7, TM9: Conversion kit TM7/TM9 units from TC electronic®</p> | 520,00 |
| |  | |

Complete Price List 2026

Price valid from: July 1st, 2026






New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------|---|--------------|
| 9. | Hardware TM7/TM9 Series | |
| | Basic Units TM7 | |
| 20700 |  <p>TouchMonitor TM7 with 7" desktop display and power supply, 4-ch. basic software Please note: The selection of the audio interface is required Ordering details: 20700 + HW2071n (see below)</p> | 4.085,00 |
| 20700OEM |  <p>TouchMonitor TM7 with 7" display, user mount, w/o psu, 4-ch. basic software Please note: The selection of the audio interface is required Ordering details: 20700OEM + HW2071n (see below)</p> | 3.855,00 |
| | Audio Interfaces TM7 | |
| | <p>Please note: Audio interfaces are not sold separately. They can only be ordered with new devices, and swapping the interfaces on existing devices is not possible.</p> <p>Ordering details: 20700 + HW2071n or 20700OEM + HW2071n</p> | |
| HW20711 |  <p>TM7 Analog-Digital D-Sub interface 16-ch. audio-interface for TM7 series: 8-ch. digital I/O (4 x AES3, d-sub) and 8-ch. analog inputs (d-sub) Ordering details: 20700 + HW20711 or 20700OEM + HW20711</p> | 520,00 |
| HW20712 |  <p>TM7 Analog D-Sub Digital BNC interface 16-ch. audio-interface for TM7 series: 8-ch. digital I/O (4 x AES3id, BNC) and 8-ch. analog inputs (d-sub) Ordering details: 20700 + HW20712 or 20700OEM + HW20712 Please note: Limited stock left.</p> | 520,00 |

Complete Price List 2026

Price valid from: July 1st, 2026

New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------|---|--------------|
| HW20714 |  <p>TM7 Digital D-Sub 3G-SDI interface 8-ch. audio-interface plus SDI for TM7 series: 8-ch. digital I/O (4 x AES3, d-sub) and 3G SDI interface (In, Through, 2 x BNC) Ordering details: 20700 + HW20714 or 20700OEM + HW20714 Please note: Limited stock left.</p> | 1.900,00 |
| HW20715 |  <p>TM7 Digital D-Sub interface 16-ch. audio-interface for TM7 series: 16-ch. digital I/O (8 x AES3, 2 x d-sub) Ordering details: 20700 + HW20715 or 20700OEM + HW20715</p> | 520,00 |
| HW20717 |  <p>TM7 AoIP Dante® RJ-45 interface 32-ch. Dante® AoIP interface for TM7 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20700 + HW20717 or 20700OEM + HW20717</p> | 2.015,00 |
| HW20718 |  <p>TM7 AoIP Ravenna RJ-45 interface 32-ch. Ravenna/AES67/ST 2110 AoIP interface for TM7 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20700 + HW20718 or 20700OEM + HW20718</p> | 2.015,00 |
| 20900 |  <p>Basic Units TM9 TouchMonitor TM9 with 9" desktop display and power supply, 4-ch. basic software Please note: The selection of the audio interface is required Ordering details: 20900 + HW2091n (see below)</p> | 4.945,00 |

Complete Price List 2026

Price valid from: July 1st, 2026







New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------|--|--------------|
| 20900OEM | <p>OEM Basic Units TM9 TouchMonitor TM9 with 9" display, user mount, w/o psu, 4-ch. basic software</p> <p>+ HW2091n Please note: The selection of the audio interface is required Ordering details: 20900OEM + HW2091n (see below)</p>  | 4.715,00 |
| | <p>Audio Interfaces TM9 Please note: Audio interfaces are not sold separately. They can only be ordered with new devices, and swapping the interfaces on existing devices is not possible.</p> <p>Ordering details: 20900 + HW2091n or 20900OEM + HW2091n</p> | |
| HW20911 | <p>TM9 Analog-Digital D-Sub interface 16-ch. audio-interface for TM9 series: 8-ch. digital I/O (4 x AES3, d-sub) and 8-ch. analog inputs (d-sub) Ordering details: 20900 + HW20911 or 20900OEM + HW20911</p>  | 520,00 |
| HW20912 | <p>TM9 Analog D-Sub Digital BNC interface 16-ch. audio-interface for TM9 series: 8-ch. digital I/O (4 x AES3id, BNC) and 8-ch. analog inputs (d-sub) Ordering details: 20900 + HW20912 or 20900OEM + HW20912</p>  | 520,00 |
| HW20913 | <p>TM9 Digital D-Sub interface 16-ch. audio-interface for TM9 series: 16-ch. digital I/O (8 x AES3, 2 x d-sub) Ordering details: 20900 + HW20913 or 20900OEM + HW20913</p>  | 520,00 |
| HW20914 | <p>TM9 Digital BNC interface 16-ch. audio-interface for TM9 series: 16-ch. digital I/O (8 x AES3id, 16 x BNC) Ordering details: 20900 + HW20914 or 20900OEM + HW20914</p>  | 520,00 |

Complete Price List 2026

Price valid from: July 1st, 2026







New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|------------|---|--------------|
| HW20915 |  <p>TM9 Analog D-Sub interface 16-ch. audio-interface for TM9 series: 16-ch. analog input (2 x d-sub) Ordering details: 20900 + HW20915 or 20900OEM + HW20915</p> | 520,00 |
| HW20917 |  <p>TM9 AoIP Dante® RJ-45 interface 32-ch. Dante® AoIP interface for TM9 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20900 + HW20917 or 20900OEM + HW20917</p> | 2.015,00 |
| HW20918 |  <p>TM9 AoIP Ravenna RJ-45 interface 32-ch. Ravenna/AES67/ST 2110 AoIP interface for TM9 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20900 + HW20918 or 20900OEM + HW20918</p> | 2.015,00 |
| HW20930 |  <p>TM9 3G-SDI option 3G-SDI extension for the audio interfaces HW20911 to HW20915 Please note: Limited stock left. Only available, when the order is placed with HW2091n Ordering details: 20900 + HW2091n + HW20930 or 20900OEM + HW2091n + HW20930</p> | 2.245,00 |
| 10. | TM3 | |
| TM3S |   <p>TM3-Smart desktop unit TM3 Smart: 4.3 inch Stereo and 6-channel TouchMonitor as desktop unit with capacitive touch screen, remote interface box (2 m) and mains adapter. Analog, SPDIF and AES3 interfaces. Includes power supply.</p> | 1.840,00 |



Complete Price List 2026

Price valid from: July 1st, 2026

New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|---------------------|--|--------------|
| TM3S + TM3-2U |   <p>TM3-Smart rack-mount unit TM3 Smart Rack-mount: 4.3 inch Stereo and 6-channel TouchMonitor as rack-mountable unit with capacitive touch screen, remote interface box (2 m) and mains adapter. Analog, SPDIF and AES3 interfaces. Includes mounting material and USB extension cable. Includes power supply. For the rack-mounting frame, order 19"/2U rack carrier TM3-MA2U. Please note: Limited stock left.</p> | 1.840,00 |
| TM3-3GS |   <p>TM3-3G-Smart desktop unit TM3-3G Smart: 4.3 inch TouchMonitor as desktop unit with capacitive touch screen, remote interface box (2 m) and mains adapter. 3G-SDI I/O and AES3 outputs. Includes power supply. Please note: Limited stock left.</p> | 2.820,00 |
| TM3-3GS + TM3-2U |   <p>TM3-3G-Smart rack-mount unit TM3-3G Smart Rack-mount: 4.3 inch 8-channel TouchMonitor as rack-mountable unit with capacitive touch screen, remote interface box (2 m) and mains adapter. SDI I/O and AES3 outputs. Includes power supply. Includes mounting material and USB extension cable. For the rack-mounting frame, order 19"/2U rack carrier TM3-MA2U. Please note: Limited stock left.</p> | 2.820,00 |



11. Accessories

| | | |
|----------|---|--------|
| 14554-IN |  <p>International PoE Ethernet Power Injector Ethernet power injector for stand-alone operation of TouchControl 5 or TouchMonitor 5 without PoE from e. g. switches. Power cables for EU, US, GB and AU grids</p> | 120,00 |
| 1178-R |  <p>Wide-range Power Supply for TouchMonitor Wide-range 100 - 240 V AC/24 V DC 2.71 A power supply for TM3, TM7, TMR7, TM9 TouchMonitor series with corresponding power cable for different power systems</p> | 125,00 |

Complete Price List 2026

Price valid from: July 1st, 2026





New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------|--|--------------|
| 1162 |  <p>I/O Snake Cable for TM3S 2 m, for TM3S, 25p-D-Sub-M to 2 x XLR-F for Analog In, 3 x XLR-F for AES3 In, and 3 x XLR-M for AES3 Out</p> | 445,00 |
| 1163 |  <p>Output Snake Cable for TM3-3GS 4 m, 25p-D-Sub-M to 8 x XLR-M. For digital AES3 balanced outputs</p> | 445,00 |
| 1167 |  <p>Digital I/O Snake Cable for TM7/TM9 4 m, 25p-D-Sub-M to 4 x XLR-M and 4 x XLR-F. For digital AES3 balanced inputs and outputs</p> | 445,00 |
| 1186 |  <p>Analog Input Snake Cable for TM7/TM9 4 m, 25p-D-Sub-M to 8 x XLR-F. For analog inputs</p> | 445,00 |
| 1166 |  <p>Mounting bracket 3/8" Metal mounting plate for all TM3 display units or TouchControl 5 to be mounted with 3/8 inch holds (e. g. gooseneck, mic stand)</p> | 60,00 |
| TM3-MA2U |  <p>TM3 Rack Carrier 19"/2U rack carrier to be fitted with up to two TM3 series devices which must feature the TM3-2U option. Including blind plate for covering unused space. Please note: Limited stock left.</p> | 570,00 |
| TM7-MADT |  <p>Table-top Housing for 7" Devices Table-top Mounting Adapter for 20700OEM and TMR7-OEM. Mounting kit including a table-top frame, robust swivel-mounted table-stand, housing cover, and mounting material for remodelling to a table-top unit.</p> | 685,00 |
| TM7-MA3U |  <p>Standard Rack Mounting Adapter for 7" Devices 19"/3U rack carrier to be fitted with one TM7 or TMR7 series OEM unit (20700OEM or TMR7OEM) for mounting into standard 19" sub-racks.</p> | 515,00 |

Complete Price List 2026

Price valid from: July 1st, 2026

New products and changes are highlighted in the following list.

| Order no. | Description | EURO ex. VAT |
|-----------|--|--------------|
| TM7-MAVID |  <p>Video Rack Mounting Adapter for 7" Devices 19"/3U rack carrier to be fitted with one TM7 or TMR7 series OEM unit (20700OEM or TMR7OEM) for mounting into standard video racks.</p> | 515,00 |
| 1647831 |  <p>Rack Frame for 7" Devices 19"/3U rack frame for one or two devices TM7-Mount, TMR7-Mount, 20700OEM, TMR7OEM in combination with rack carrier TM7-MA3U. Includes blind plate for covering unused space. Please note: Limited stock left. TM7-MA3U is mandatory per device to be mounted. Limited stock left.</p> | 515,00 |
| TM9-MA4U |  <p>TM9 OEM Rack Carrier 19"/4U rack carrier to be fitted with one TM9 series OEM unit (20900OEM)</p> | 570,00 |
| TM9-MADT |  <p>Table-top Housing for 9" Devices Table-top Mounting Adapter for 20900OEM Mounting kit including a table-top frame, robust swivel-mounted table-stand, housing cover, and mounting material for remodelling 20900OEM to a table-top unit.</p> | 685,00 |