RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
1.		**TMxCore**	
230013NR		**TMxCore AES16** Professional audio metering platform with digital AES3 format inputs and outputs (D-Sub 25 connectors) and DisplayPort output for direct connection to any monitor. Ideal for facilities with baseband workflows, TMxCore combines the proven TouchMonitor concept with powerful new capabilities for loudness, compliance, and advanced metering. Core functionality covers comprehensive tools for loudness, phase, frequency, comparison, and level monitoring, along with a Network Display accessible via any standard web browser. Additional licenses unlock Immersive Audio Instruments, the Dialog Intelligibility Meter powered by Fraunhofer AI technology, and up to three additional Network Display screens for extended visibility. Includes Power Supply and 19” Rack-mount kit.	9.188,50
230017NR		**TMxCore Dante** Professional audio metering platform with 32 channel Dante® AoIP connectivity via dedicated primary and secondary RJ-45 connectors and DisplayPort output for direct connection to any monitor, ideal for broadcast, post-production, and live applications. Built on the TouchMonitor legacy, TMxCore delivers reliable loudness and compliance monitoring, advanced metering instruments, and flexible view design. Core functionality covers comprehensive tools for loudness, phase, frequency, comparison, and level monitoring, along with a Network Display accessible via any standard web browser. Additional licenses unlock Immersive Audio Instruments, the Dialog Intelligibility Meter powered by Fraunhofer AI technology, and up to three additional Network Display screens for extended visibility. Includes Power Supply and 19” Rack-mount kit.	10.338,50

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

EYES ON YOUR AUDIO


Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
230018NR		**TMxCore Ravenna** Professional audio metering platform with 32 channel Ravenna®/AES67/ST 2110 connectivity via dedicated primary and secondary RJ-45 connectors and DisplayPort output for direct connection to any monitor, ideal for modern IP-based production environments. Combining next-generation processing power with trusted TouchMonitor metering concepts, TMxCore ensures reliability and flexibility in broadcast and post-production workflows. Core functionality covers comprehensive tools for loudness, phase, frequency, comparison, and level monitoring, along with a Network Display accessible via any standard web browser. Additional licenses unlock Immersive Audio Instruments, the Dialog Intelligibility Meter powered by Fraunhofer AI technology, and up to three additional Network Display screens for extended visibility. Includes Power Supply and 19” Rack-mount kit.	10.338,50

2. Licenses for TMxCore

SW23010		**Surround & Immersive Instruments** Unlocks metering instruments for surround and immersive formats. Includes the Immersive Sound Analyzer, MatrixCorrelator, MultiCorrelator, and Polarscope, giving engineers detailed insight into spatial balance, correlation, and immersive mix quality. Ideal for broadcast, post-production, and streaming workflows handling multi-channel and immersive content.	1.144,25
SW23020		**Dialog Intelligibility Instruments** Unlocks the AI-powered Dialog Intelligibility Meter, developed with Fraunhofer IDMT. Provides an objective measurement of how clearly dialogue is perceived, helping engineers maintain dialog clarity across film, TV, streaming, and live content.	1.144,25

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
SW23030		**Network Display: Additonal Screen 1** Adds an additional virtual metering screen for TMxCore, accessible via any standard web browser. Each screen provides its own configurable screen format with independent views, ratio, resolution, and orientation. Up to three licenses can be added, expanding metering across multiple screens and locations for remote production, multiview monitoring, and flexible workflows.	1.144,25
SW23031		**Network Display: Additonal Screen 2** Adds an additional virtual metering screen for TMxCore, accessible via any standard web browser. Each screen provides its own configurable screen format with independent views, ratio, resolution, and orientation. Up to three licenses can be added, expanding metering across multiple screens and locations for remote production, multiview monitoring, and flexible workflows.	1.144,25
SW23032		**Network Display: Additonal Screen 3** Adds an additional virtual metering screen for TMxCore, accessible via any standard web browser. Each screen provides its own configurable screen format with independent views, ratio, resolution, and orientation. Up to three licenses can be added, expanding metering across multiple screens and locations for remote production, multiview monitoring, and flexible workflows.	1.144,25

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
SW23040		**External Logging & Integration** Enables integration with external monitoring, logging, and control systems. Includes support for Prometheus, Grafana, LAWO HOME, and NMOS IS-07. Facilitates system monitoring, automation, and seamless integration into existing workflows. Ideal for broadcast facilities, production environments, and large-scale installations.	1.144,25
SW23050		**Monitor Control** Unlocks advanced monitor control capabilities for TMxCore. Includes source selection, volume control, mute, dim, bass management, and speaker calibration with per-speaker level, delay, polarity, and 8-band EQ. Provides precise control and calibration of multichannel and immersive monitoring systems. Ideal for broadcast, post-production, and professional audio production environments.	1.144,25


3. TouchMonitor 5

220517NT		**TouchMonitor 5 Dante** Advanced loudness meter for Dante®-based audio networks. This user-customizable, tabletop device features a 5” touch display and supports 16 Dante® channels for stereo, surround, and immersive audio formats, including 5.1 and 7.1.4 configurations. It offers an extensive feature set, including RTA, Vectorscope, PPM, True-peak, Loudness, LRA, Chart, and Moving Coil displays. **Please note:** PoE power injector not included.	2.910,00

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
220518NT		**TouchMonitor 5 Ravenna** Advanced loudness meter for RAVENNA®-based audio networks. This user-customizable, tabletop device features a 5" touch display and supports 16 RAVENNA®/AES67/ST 2110 channels for stereo, surround, and immersive audio formats, including 5.1 and 7.1.4 configurations. It offers an extensive feature set, including RTA, Vectorscope, PPM, True-peak, Loudness, LRA, Chart, and Moving Coil displays. **Please note:** PoE power injector not included.	2.910,00
4.		**License for TouchMonitor 5**	
SW22015		**Surround & Immersive Instruments** Unlocks advanced metering instruments for surround and immersive audio formats on the Compact Line. Includes the Immersive Sound Analyzer, MatrixCorrelator, and MultiCorrelator, providing detailed insight into spatial balance, channel correlation, and immersive mix quality. Ideal for broadcast, post-production, and streaming workflows handling multichannel and immersive audio.	569,25

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
SW22030		**Network Display** Enables metering display via any standard web browser. The browser-based screen uses the same screen format as the device, but can show a different view than the built-in display. Ideal for remote monitoring or extending visibility to additional locations without adding extra hardware.	569,25
SW22040		**External Logging & Integration** Enables integration with external monitoring, logging, and control systems. Includes support for Prometheus, Grafana, LAWO HOME, and NMOS IS-07. Facilitates system monitoring, automation, and seamless integration into existing workflows. Ideal for broadcast facilities, production environments, and large-scale installations.	569,25


5. TouchControl 5

320517ND		**TouchControl 5 Dante** Dante® based immersive monitor controller with metering. User customizable table-top device with 5” touch display and 32 Dante®-channels for stereo- surround and -immersive speaker formats including 5.1 and 7.1.4. Comprehensive feature set with speaker calibration, SPL measurement and bass management as well as an RTW precision metering section as in TouchMonitor 5. Toolbox with independent leveling and talkback. **Please note:** PoE power injector not included.	3.570,00

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
320518ND		**TouchControl 5 Ravenna** RAVENNA® based immersive monitor controller with metering. User customizable table-top device with 5” touch display and 32 RAVENNA/AES67/ST 2110®-channels for stereo-surround and -immersive speaker formats including 5.1 and 7.1.4. Comprehensive feature set with speaker calibration, SPL measurement and bass management as well as an RTW precision metering section as in TouchMonitor 5. Toolbox with independent leveling and talkback. **Please note:** PoE power injector not included.	3.570,00
6.		**License for TouchControl 5**	
SW32015		**Surround & Immersive Instruments** Unlocks advanced metering instruments for surround and immersive audio formats on the Compact Line. Includes the Immersive Sound Analyzer, MatrixCorrelator, and MultiCorrelator, providing detailed insight into spatial balance, channel correlation, and immersive mix quality. Ideal for broadcast, post-production, and streaming workflows handling multichannel and immersive audio.	569,25
SW32030		**Network Display** Enables metering display via any standard web browser. The browser-based screen uses the same screen format as the device, but can show a different view than the built-in display. Ideal for remote monitoring or extending visibility to additional locations without adding extra hardware.	569,25
SW32040		**External Logging & Integration** Enables integration with external monitoring, logging, and control systems. Includes support for Prometheus, Grafana, LAWO HOME, and NMOS IS-07. Facilitates system monitoring, automation, and seamless integration into existing workflows. Ideal for broadcast facilities, production environments, and large-scale installations.	569,25


RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

EYES ON YOUR AUDIO

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.




Order no.		Description	MSRP (US$)
7.		**TouchMonitor Models**	
TM7-Studio		**TM7-Studio *)** 7” Desktop TouchMonitor for Audio Production and Post Production. 8-ch. digital AES3-format I/O and 8-ch. analog audio inputs both via D-sub 25p-f. Includes power supply	5.295,75

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.




Order no.		Description	MSRP (US$)
TM7-Video		**TM7-Video *)** 7” Desktop TouchMonitor for Post Production, TV Broadcast and Video Editing 8-ch. digital AES3-format I/O via D-sub 25p-f and 3G-SDI interface. Includes power supply **Please note:** Limited stock left.	6.882,75
TM7-Mount		**TM7-Mount *)** 7” Mountable TouchMonitor for TV Broadcast and Post Production 8-ch. digital AES3-format I/O and 8-ch. analog audio inputs both via D-sub 25p-f. **Please note:** Power supply not included.	5.031,25
TM7-Rack		**TM7-Rack *)** 7” Rack TouchMonitor for TV Broadcast and Post Production 8-ch. digital AES3-format I/O via D-sub 25p-f and 3G-SDI interface. Built-in TM7-MAVID option. **Please note:** Limited stock left. Power supply not included.	7.210,50
TM7-Dante		**TM7-Dante *)** 7” Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Dante AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply	7.015,00

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.


Order no.		Description	MSRP (US$)
TM7-RAV		**TM7-RAV *)** 7” Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Ravenna/AES67/ST 2110 AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply	7.015,00
TM9-Studio		**TM9-Studio *)** 9” Desktop TouchMonitor for Audio Production and Post Production. 8-ch. digital AES3-format I/O and 8-ch. analog audio inputs both via D-sub 25p-f. Includes power supply	6.284,75
TM9-AES16		**TM9-AES16 *)** 9” Desktop TouchMonitor for Audio Production and Post Production. 16-ch. digital AES3-format I/O via two D-sub 25p-f. Includes power supply	6.284,75

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.


Order no.		Description	MSRP (US$)
TM9-BNC		**TM9-BNC *)** 9” Desktop TouchMonitor for Audio Production and Post Production. 16-ch. digital AES3id-format I/O via BNC. Includes power supply	6.284,75
TM9-Video		**TM9-Video *)** 9” Desktop TouchMonitor for Post Production, TV Broadcast and Video Editing. 16-ch. digital AES3-format I/O via two D-sub 25p-f and 3G-SDI interface. Includes power supply **Please note:** Limited stock left.	8.866,50
TM9-Dante		**TM9-Dante *)** 9” Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Dante AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply	8.004,00

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
TM9-RAV		**TM9-RAV *)** 9” Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Ravenna/AES67/ST 2110 AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply	8.004,00
Please note:		***)** All mentioned models come with the basic functionality like 4-ch-PPM, True-Peak-Meter, correlator, global keyboard, gain reduction display. Recommended licences for multi-channel, loudness, surround sound and more detailed audio analysis: SW20001 Multi-channel operation SW20002 CalmAct, ITU, EBU loudness and SPL display SW20004 SSA surround sound analyzer SW20006 Up to four vectorscopes, Multistandard PPM/VU moving coil emulation	
TMR7		**TMR7 °)** TouchMonitor TMR7 with 7" desktop display and power supply, 4-ch. basic software 4-ch. digital I/O (2 x XLR-F, 2 x XLR-M) **Please note:** Limited stock left.	5.295,75
TMR7OEM		**TMR7OEM °)** TouchMonitor TMR7 with 7" display, user mount, w/o psu, 4-ch. basic software 4-ch. digital I/O (2 x XLR-F, 2 x XLR-M) **Please note:** Limited stock left. Power supply not included.	5.031,25

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

EYES ON YOUR AUDIO





Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
Please note:		**°)** The mentioned models TMR7 and TMR7OEM come with the basic functionality like 4-ch-PPM, True-Peak-Meter, correlator, global keyboard, gain reduction display. Recommended licences for loudness and more detailed audio analysis: SW20002 CalmAct, ITU, EBU loudness and SPL display SW20003 RTA real time analyzer SW20006 Up to four vectorscopes, Multistandard PPM/VU moving coil emulation SW20014 Loudness Logging and course over time (Chart)	

8. Licenses for TM Series (for all devices with 4-ch. basic software)



SW20001		**Multichannel** TouchMonitor License for TM7, TM9: Multi-channel operation	902,75
SW20002		**Loudness & SPL** TouchMonitor License for TM7, TMR7, TM9: CalmAct, ITU, EBU Loudness and SPL display	902,75
SW20003		**RTA - Real Time Analyzer** TouchMonitor License for TM7, TMR7, TM9: Real Time Analyzer (RTA)	598,00
SW20004		**SSA - Surround Sound Analyzer** TouchMonitor License for TM7, TM9: Surround Sound Analyzer (SSA) Please note: SW20004 requires SW20001 and SW20002	902,75

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
SW20005		**Radar Display** TouchMonitor License for TM7, TM9: Radar Anzeige Please note: SW20005 requires SW20002	1.523,75
SW20006		**Premium PPM & Vectorscope** TouchMonitor License for TM7, TMR7, TM9: Premium PPM and Vectorscope	598,00
SW20008		**Timecode Reader** TouchMonitor License for TM7, TMR7, TM9: TCR - Timecode Reader	598,00
SW20013		**BLITS** TouchMonitor License for TM7, TM9: BLITS/GLITS lilne testing Please note: SW20013 requires SW20001	598,00
SW20014		**Logging Data Server** TouchMonitor License for TM7, TMR7, TM9: Logging Data Server Please note: SW20014 requires SW20002	902,75
SW20015		**ISA - Immersive Sound Analyzer** TouchMonitor License for TM7, TM9: Immersive Sound Analyzer (ISA) Please note: SW20015 requires SW20001, SW20002 and SW20004	902,75
SW20021		**Conversion kit for TM7/TM9 devices of TC electronic®** TouchMonitor License for TM7, TM9: Conversion kit TM7/TM9 units from TC electronic®	598,00

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
9.		**Hardware TM7/TM9 Series**	
20700		**Basic Units TM7** TouchMonitor TM7 with 7" desktop display and power supply, 4-ch. basic software **Please note:** The selection of the audio interface is required Ordering details: 20700 + HW2071n (see below)	4.697,75
20700OEM		**OEM Basic Units TM7** TouchMonitor TM7 with 7" display, user mount, w/o psu, 4-ch. basic software **Please note:** The selection of the audio interface is required Ordering details: 20700OEM + HW2071n (see below)	4.433,25
		Audio Interfaces TM7 **Please note:** Audio interfaces are not sold separately. They can only be ordered with new devices, and swapping the interfaces on existing devices is not possible. Ordering details: 20700 + HW2071n or 20700OEM + HW2071n	
HW20711		**TM7 Analog-Digital D-Sub interface** 16-ch. audio-interface for TM7 series: 8-ch. digital I/O (4 x AES3, d-sub) and 8-ch. analog inputs (d-sub) Ordering details: 20700 + HW20711 or 20700OEM + HW20711	598,00
HW20712		**TM7 Analog D-Sub Digital BNC interface** 16-ch. audio-interface for TM7 series: 8-ch. digital I/O (4 x AES3id, BNC) and 8-ch. analog inputs (d-sub) Ordering details: 20700 + HW20712 or 20700OEM + HW20712 **Please note:** Limited stock left.	598,00

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
HW20714		**TM7 Digital D-Sub 3G-SDI interface** 8-ch. audio-interface plus SDI for TM7 series: 8-ch. digital I/O (4 x AES3, d-sub) and 3G SDI interface (In, Through, 2 x BNC) Ordering details: 20700 + HW20714 or 20700OEM + HW20714 **Please note:** Limited stock left.	2.185,00
HW20715		**TM7 Digital D-Sub interface** 16-ch. audio-interface for TM7 series: 16-ch. digital I/O (8 x AES3, 2 x d-sub) Ordering details: 20700 + HW20715 or 20700OEM + HW20715	598,00
HW20717		**TM7 AoIP Dante® RJ-45 interface** 32-ch. Dante® AoIP interface for TM7 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20700 + HW20717 or 20700OEM + HW20717	2.317,25
HW20718		**TM7 AoIP Ravenna RJ-45 interface** 32-ch. Ravenna/AES67/ST 2110 AoIP interface for TM7 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20700 + HW20718 or 20700OEM + HW20718	2.317,25
20900		**Basic Units TM9** TouchMonitor TM9 with 9" desktop display and power supply, 4-ch. basic software **Please note:** The selection of the audio interface is required Ordering details: 20900 + HW2091n (see below)	5.686,75

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
		OEM Basic Units TM9	
20900OEM		TouchMonitor TM9 with 9" display, user mount, w/o psu, 4-ch. basic software **Please note:** The selection of the audio interface is required Ordering details: 20900OEM + HW2091n (see below)	5.422,25
		Audio Interfaces TM9 **Please note:** Audio interfaces are not sold separately. They can only be ordered with new devices, and swapping the interfaces on existing devices is not possible. Ordering details: 20900 + HW2091n or 20900OEM + HW2091n	
HW20911		**TM9 Analog-Digital D-Sub interface** 16-ch. audio-interface for TM9 series: 8-ch. digital I/O (4 x AES3, d-sub) and 8-ch. analog inputs (d-sub) Ordering details: 20900 + HW20911 or 20900OEM + HW20911	598,00
HW20912		**TM9 Analog D-Sub Digital BNC interface** 16-ch. audio-interface for TM9 series: 8-ch. digital I/O (4 x AES3id, BNC) and 8-ch. analog inputs (d-sub) Ordering details: 20900 + HW20912 or 20900OEM + HW20912	598,00
HW20913		**TM9 Digital D-Sub interface** 16-ch. audio-interface for TM9 series: 16-ch. digital I/O (8 x AES3, 2 x d-sub) Ordering details: 20900 + HW20913 or 20900OEM + HW20913	598,00
HW20914		**TM9 Digital BNC interface** 16-ch. audio-interface for TM9 series: 16-ch. digital I/O (8 x AES3id, 16 x BNC) Ordering details: 20900 + HW20914 or 20900OEM + HW20914	598,00

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
HW20915		**TM9 Analog D-Sub interface** 16-ch. audio-interface for TM9 series: 16-ch. analog input (2 x d-sub) Ordering details: 20900 + HW20915 or 20900OEM + HW20915	598,00
HW20917		**TM9 AoIP Dante® RJ-45 interface** 32-ch. Dante® AoIP interface for TM9 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20900 + HW20917 or 20900OEM + HW20917	2.317,25
HW20918		**TM9 AoIP Ravenna RJ-45 interface** 32-ch. Ravenna/AES67/ST 2110 AoIP interface for TM9 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20900 + HW20918 or 20900OEM + HW20918	2.317,25
HW20930		**TM9 3G-SDI option** 3G-SDI extension for the audio interfaces HW20911 to HW20915 **Please note:** Limited stock left. Only available, when the order is placed with HW2091n Ordering details: 20900 + HW2091n + HW20930 or 20900OEM + HW2091n + HW20930	2.581,75

10. TM3

TM3S	 	**TM3-Smart desktop unit** TM3 Smart: 4.3 inch Stereo and 6-channel TouchMonitor as desktop unit with capacitive touch screen, remote interface box (2 m) and mains adapter. Analog, SPDIF and AES3 interfaces. Includes power supply.	2.116,00

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
TM3S + TM3-2U		**TM3-Smart rack-mount unit** TM3 Smart Rack-mount: 4.3 inch Stereo and 6-channel TouchMonitor as rack-mountable unit with capacitive touch screen, remote interface box (2 m) and mains adapter. Analog, SPDIF and AES3 interfaces. Includes mounting material and USB extension cable. Includes power supply. For the rack-mounting frame, order 19”/2U rack carrier TM3-MA2U. **Please note:** Limited stock left.	2.116,00
TM3-3GS		**TM3-3G-Smart desktop unit** TM3-3G Smart: 4.3 inch TouchMonitor as desktop unit with capacitive touch screen, remote interface box (2 m) and mains adapter. 3G-SDI I/O and AES3 outputs. Includes power supply. **Please note:** Limited stock left.	3.243,00
TM3-3GS + TM3-2U		**TM3-3G-Smart rack-mount unit** TM3-3G Smart Rack-mount: 4.3 inch 8-channel TouchMonitor as rack-mountable unit with capacitive touch screen, remote interface box (2 m) and mains adapter. SDI I/O and AES3 outputs. Includes power supply. Includes mounting material and USB extension cable. For the rack-mounting frame, order 19”/2U rack carrier TM3-MA2U. **Please note:** Limited stock left.	3.243,00

11. Accessories

14554-IN		**International PoE Ethernet Power Injector** Ethernet power injector for stand-alone operation of TouchControl 5 or TouchMonitor 5 without PoE from e. g. switches. Power cables for EU, US, GB and AU grids	138,00

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
1178-R		**Wide-range Power Supply for TouchMonitor** Wide-range 100 - 240 V AC/24 V DC 2.71 A power supply for TM3, TM7, TMR7, TM9 TouchMonitor series with corresponding power cable for different power systems	143,75
1162		**I/O Snake Cable for TM3S** 2 m, for TM3S, 25p-D-Sub-M to 2 x XLR-F for Analog In, 3 x XLR-F for AES3 In, and 3 x XLR-M for AES3 Out	511,75
1163		**Output Snake Cable for TM3-3GS** 4 m, 25p-D-Sub-M to 8 x XLR-M. For digital AES3 balanced outputs	511,75
1167		**Digital I/O Snake Cable for TM7/TM9** 4 m, 25p-D-Sub-M to 4 x XLR-M and 4 x XLR-F. For digital AES3 balanced inputs and outputs	511,75
1186		**Analog Input Snake Cable for TM7/TM9** 4 m, 25p-D-Sub-M to 8 x XLR-F. For analog inputs	511,75
1166		**Mounting bracket 3/8"** Metal mounting plate for all TM3 display units or TouchControl 5 to be mounted with 3/8 inch holds (e. g. gooseneck, mic stand)	69,00
TM3-MA2U		**TM3 Rack Carrier** 19"/2U rack carrier to be fitted with up to two TM3 series devices which must feature the TM3-2U option. Including blind plate for covering unused space. **Please note:** Limited stock left.	655,50
TM7-MADT		**Table-top Housing for 7" Devices** Table-top Mounting Adapter for 20700OEM and TMR7-OEM. Mounting kit including a table-top frame, robust swivel-mounted table-stand, housing cover, and mounting material for remodelling to a table-top unit.	787,75

RTW US Corp. | 160 Varick St | 3rd Floor | New York NY 10013
support@rtw.com

Price List US 2026.2

Price valid from: November 1st, 2026

New products and changes are highlighted in the following list.

Order no.		Description	MSRP (US$)
TM7-MA3U		**Standard Rack Mounting Adapter for 7" Devices** 19"/3U rack carrier to be fitted with one TM7 or TMR7 series OEM unit (20700OEM or TMR7OEM) for mounting into standard 19" sub-racks.	592,25
TM7-MAVID		**Video Rack Mounting Adpater for 7" Devices** 19"/3U rack carrier to be fitted with one TM7 or TMR7 series OEM unit (20700OEM or TMR7OEM) for mounting into standard video racks.	592,25
1647831		**Rack Frame for 7" Devices** 19"/3U rack frame for one or two devices TM7-Mount, TMR7-Mount, 20700OEM, TMR7OEM in combination with rack carrier TM7-MA3U. Includes blind plate for covering unused space. **Please note:** Limited stock left. TM7-MA3U is mandatory per device to be mounted.	592,25
TM9-MA4U		**TM9 OEM Rack Carrier** 19"/4U rack carrier to be fitted with on.e TM9 series OEM unit (20900OEM)	655,50
TM9-MADT		**Table-top Housing for 9" Devices** Table-top Mounting Adapter for 20900OEM Mounting kit including a table-top frame, robust swivel-mounted table-stand, housing cover, and mounting material for remodelling 20900OEM to a table-top unit.	787,75